



INVITATION TO BID

Procurement of Supplies and Equipment for the Establishment of Innovation and Makerspaces (iMake Project - ASSCAT) Facilities (Early Procurement Activity)

1. The DEPARTMENT OF SCIENCE AND TECHNOLOGY-CARAGA, through the General Appropriations Act 2021 intends to apply the sum of Five Million Pesos only (₱ 5,000,000.00); to payments under the contract for PR # 2020-10-393. Bids received in excess of the ABC shall be automatically rejected at bid opening.
2. The **DEPARTMENT OF SCIENCE AND TECHNOLOGY-CARAGA** now invites bids for the following.

QTY / Unit	Particulars	ABC per Item	TOTAL ABC
LOT 1	3D Printers for iMake - ASSCAT	₱1,100,000.00	₱1,100,000.00
2 units	3D Printer Dual Nozzle		
	Specifications		
	Print Head: Dual nozzle, with lifting mechanism on 2nd nozzle & Easily swappable Print Cores		
	Extrusion Speed: up to 16 mm ³ /s		
	Travel Speed: 30 - 300 mm/s		
	Build Platform: Heated glass bed (maximum 100°C)		
	Bed Leveling: Active-leveling with capacitive sensor		
	Nozzle Diameter: 0.4mm Print Core		
	Supported File Types: STL, OBJ, 3MF		
	Supported OS: Windows, Mac, Linux		
	AC Input: 200-240V. 50/60Hz		
	Power Requirements: 24 VDC, 9.2A		
	Supported Filament: PLA, PVA, ABS		
	Connectivity: WiFi, Ethernet, standalone via USB-drive		
	Camera: Yes		
	"Included Startup Accessories:		
	PLA 350g spool, PVA 350g spool		
	2x AA printcore, 1x Support material printcore		
	Spool holder		
	Filament guide		
	Glass build plate		
	Glue stick		
	Power supply & cable		
	USB drive		

	Hex screwdriver"		
	Warranty: One-year warranty		
	***** VAT INCLUSIVE*****		
	*****FOB DOST-Caraga*****		
TOTAL ABC FOR LOT 1			₱1,100,000.00
LOT 2	Laser Engraving/Cutting Machine for iMake - ASSCAT	₱ 480,000.00	₱ 480,000.00
1 unit	Laser Engraving/Cutting Machine		
	Specifications		
	Working Size: 90cm x 60cm		
	Laser Power: 100W		
	Laser Type: CO2 sealed high quality, water-cooling		
	Driving System: Stepper motor		
	Cutting Speed: 0 - 30000mm/min or 0 - 1181in/min		
	Engraving Speed: 0 - 50000mm/min or 0 - 1969in/min		
	Resetting Position Accuracy: +- 0.01		
	Power Supply: 220V/50-60Hz		
	Graphic Format Supported: BMP, PLT, AI, DST, DXF		
	Software Supported: Coreldraw, Photoshop, AutoCAD		
	Warranty: One-year warranty		
	With: Spare CO2 Laser Tube		
	Training: Includes Basic Training		
	***** VAT INCLUSIVE*****		
	*****FOB DOST-Caraga*****		
TOTAL ABC FOR LOT 2			₱ 480,000.00
LOT 3	PCB 3D Printer Machine for iMake - ASSCAT	₱ 560,000.00	₱ 560,000.00
1 unit	PCB 3D Printer Machine		
	Specifications		
	PRINTING		
	Minimum Trace Width: 0.2mm		
	Pin-to-Pin Pitch: 0.65mm		
	Resistivity: 12mΩ/Sq @ 70um Height		
	Maximum Board: 3mm		
	Print Area: 128mm x 116mm		
	Max. Bed Temperature: 240°C		
	DRILLING		
	Spindle Speed: 13,000 RPM		
	Power: 12V		
	Runout: 0.076mm		
	Shank Diameter: 3.175mm		
	Bit Diameter (Max.): 2mm		
	Bit Length (Max.): 38.1mm		
	SOLDERING		
	Pin-to-Pin Pitch: 0.5mm		

	Soldering Iron Temperature: 180-200°C		
	Warranty: One-year warranty		
	Training: Includes Basic Training		
	***** VAT INCLUSIVE*****		
	*****FOB DOST-Caraga*****		
TOTAL ABC FOR LOT 3			₱ 560,000.00
LOT 4	Desk Type CNC Plasma Cutting Machine for iMake - ASSCAT	₱ 675,000.00	₱ 675,000.00
1 unit	Desk Type CNC Plasma Cutting Machine		
	Specifications		
	Cutting Mode: Plasma		
	Working area: 1300mm x 2500mm		
	Cutting Speed: 20000mm/min		
	Rated Power: 8.5kw or above		
	Motor Type: Stepper Motor		
	Voltage: 220VAC		
	Cutting thickness: 12mm		
	Warranty: One-year warranty		
	Training: Includes Basic Training		
	***** VAT INCLUSIVE*****		
	*****FOB DOST-Caraga*****		
TOTAL ABC FOR LOT 4			₱ 675,000.00
LOT 5	MIG TIG ARC Welding Machine for iMake - ASSCAT	₱ 160,000.00	₱ 160,000.00
2 units	MIG TIG ARC Welding Machine		
	Specifications		
	Function: MIG, TIG, and Arc		
	Inverter technology: IGBT		
	Input voltage: AV220±15% V		
	Frequency: 50/60HZ		
	"Package Content:		
	1x Mig welder		
	1x Earth clamp		
	1x Electrode holder		
	1x Mig welding torch		
	1x Flux cored wire"		
	Warranty: One-year warranty		
	***** VAT INCLUSIVE*****		
	*****FOB DOST-Caraga*****		
TOTAL ABC FOR LOT 5			₱ 160,000.00
LOT 6	Desktop Computer for iMake - ASSCAT	₱ 75,000.00	₱ 75,000.00
	Specifications		
	Processor: Intel Core i5 9400		

	Memory: 8GB DDR4-2666 MHz		
	Storage: 1TB 7200 RPM		
	"Graphics: NVIDIA GeForce GT 1030 with 2GB of DDR5		
	Monitor: 23.6""		
	GPU ports: Display port, DVI and HDM		
	"Accessory: 650VA UPS, Keyboard, Mouse with mousepad		
	Windows 10 OS licensed		
	MS Office Licensed"		
	Warranty: One-year warranty		
	***** VAT INCLUSIVE*****		
	*****FOB DOST-Caraga*****		
TOTAL ABC FOR LOT 6			₱ 75,000.00
LOT 7	3D Printer Filaments Consumables for iMake - ASSCAT		
1 set	A. PLA 3D Printer Filaments	₱ 210,000.00	₱ 210,000.00
	Includes:		
	5pcs PLA Color Black		
	5pcs PLA Color White		
	5pcs PLA Color Blue		
	5pcs PLA Color Red		
	5pcs PLA Color Green		
	5pcs PLA Color Yellow		
	5pcs PLA Color Orange		
	Specifications:		
	Material: PLA		
	Diameter: 2.85mm		
	Weight: 750g		
1 set	B. ABS 3D Printer Filaments	₱ 224,000.00	₱ 224,000.00
	Includes:		
	5pcs ABS Color Black		
	5pcs ABS Color White		
	5pcs ABS Color Blue		
	5pcs ABS Color Red		
	5pcs ABS Color Green		
	5pcs ABS Color Yellow		
	5pcs ABS Color Orange		
	Specifications:		
	Material: ABS		
	Diameter: 2.85mm		
	Weight: 750g		
1 set	C. PVA 3D Printer Filaments	₱ 490,000.00	₱ 490,000.00
	35pcs ABS Color Black		
	Specifications:		

	Material: PVA		
	Diameter: 2.85mm		
	Weight: 750g		
	Melting Temperature: 163 degC		
	Water-soluble support material		
	***** VAT INCLUSIVE*****		
	*****FOB DOST-Caraga*****		
TOTAL ABC FOR LOT 7			₱ 924,000.00
LOT 8	Electronic Supplies and Consumables for iMake - ASSCAT		
20 units	A. Microcontroller Board	₱ 875.00	₱ 17,500.00
	Specifications:		
	Operating Voltage: 5V		
	Digital I/O Pins: 14 pins		
	PWM Digital Pins: 6 pins		
	Analog Input Pins: 6 pins		
	Flash Memory: 32KB		
	SRAM: 2KB		
	Clock Speed: 16 MHz		
20 sets	B. Microcomputer Starter Kit	₱ 11,000.00	₱ 220,000.00
	Kit includes:		
	Microcomputer Board		
	Microcomputer Extension Board		
	40 Pin Flat Cable		
	16G SD Card		
	Card Reader		
	Microcomputer Power Plug		
	Microcomputer Acrylic Enclosure Kit		
	40P Dupont Cable		
	Jumper Wire		
	400 Point Breadboard		
	Two Color LED Module		
	7 Colour Flashing LED Module		
	Tactile Switch Module		
	RGB-LED Module		
	1 Channel Relay Module		
	Laser Head Sensor Module		
	Module USB to TTL		
	Golden Angle sensor module		
	Motion Sensor Module		
	Infrared Remote Control Receiving Module		
	Active Buzzer Module		
	Passive Buzzer Module		
	Reed Switch Sensor Module		
	Module AD/DA Converter		
	Rain Steam Sensor		

	Dual-axis XY Joystick Module		
	Adjustable Potentiometer Module		
	Speed Measurement hall Sensor Module		
	Temperature Sensor Module		
	Sound Detection Sensor Module		
	Light Dependent Resistor module		
	Flame Sensor Module		
	Smoke Gas Sensor Module		
	Remote Control		
	Touch Module		
	Ultrasonic Sensor Module		
	Temperature Sensor Module		
	Rotary Encoder Module		
	Infrared Tracing Obstacle Sensor		
	Real Time Clock Module		
	Tracking Sensor Module		
20 sets	C. Microcontroller Advanced Starter Kit with Manual	₱ 10,000.00	₱ 200,000.00
	Kit includes:		
	1pc High Quality Hard Case		
	1pc Components Introduction Paper		
	1pc Microcontroller Board		
	1pc USB Cable		
	35pcs Jumper Wires		
	1pc 830 Point BREADBOARD		
	15pcs led (Red, Green, Yellow)		
	30pcs Resistance(220R, 10K, 1K)		
	1pc 10 Pin Dupont Line(Male to Female)		
	1pc Potentiometer		
	1pc Active Buzzer		
	1pc Shift Register		
	1pc Infrared Receiving Head		
	1pc Analog Temperature Sensor		
	1pc Flame Sensor		
	2pcs Roll Ball Switch		
	3pcs 5mm LDR		
	4pcs Button Switch with Cap		
	1pc IR Remote Control		
	1pc One Digital Tube		
	1pc Four Digital Tube		
	1pc 8*8 Dot Matrix Tube		
	1pc Driver Board		
	1pc 5V Stepper Motor		
	1pc Servo Motor		
	1pc LCD		
	1pc I2C Adapter		
	1pc Game Joystick Module		
	1pc Temperature and Humidity Sensor Module		

	1pc Water level measurement module		
	1pc RFID module		
20 sets	D. Microcontroller 37 - in - 1 Sensor Kit	₱ 3,500.00	₱ 70,000.00
	Kit includes:		
	1 x Small passive buzzer module		
	1 x 2-color LED module		
	1 x Hit sensor module		
	1 x Vibration switch module		
	1 x Photo resistor module		
	1 x Key switch module		
	1 x Tilt switch module		
	1 x 3-color full-color LED SMD modules		
	1 x Infrared emission sensor module		
	1 x 3-color LED module		
	1 x Mercury open optical module		
	1 x 2-color LED module 3MM		
	1 x Active buzzer module		
	1 x Temperature sensor module		
	1 x Automatic flashing colorful LED module		
	1 x Mini magnetic reed modules		
	1 x Magnetic sensor		
	1 x Magic light cup module		
	1 x Rotary encoder module		
	1 x Optical broken module		
	1 x Detect the heartbeat module		
	1 x Reed module		
	1 x Obstacle avoidance sensor module		
	1 x Hunt sensor module		
	1 x Microphone sound sensor module		
	1 x Laser sensor module		
	1 x 5V relay module		
	1 x Temperature sensor module		
	1 x Temperature sensor module		
	1 x Linear magnetic Hall sensors		
	1 x Flame sensor module		
	1 x Sensitive microphone sensor module		
	1 x Temperature and humidity sensor module		
	1 x XY-axis joystick module		
	1 x Metal touch sensor module		
	1 x Box		
	1 x learn tutorial CD		
1 set	E. Microcontroller - Compatible Shields	₱ 180,000.00	₱ 180,000.00
	Includes:		
	20 units 2x16 LCD Module with I2C Board		
	- with I2C Board		
	- with backlight		

	20 units Power Supply		
	- Output - 5V 2A		
	- 5.5mm/2.1mm DC		
	- Barrel Plug, Centre position		
	20 units Bluetooth Shield		
	- Data Interface - Serial UART		
	- Available Functions - Master Slave		
	- Microcontroller board portable		
	20 units Wifi Shield		
	- Power Input - 3.3V		
	Operating voltage		
	- +5V DC (Internal supply)		
	- 5-7V DC (External Supply)		
	- Data Interface - UART connection		
	- 802.11b/g/n		
	- @2.4 GHz, support for WPA/WPA2		
	20 units GSM Shield		
	- Power Input 5VDC 1.5A		
	- Serial UART		
	- Command Line - AT Commands		
	20 units LCD & Keypad Shield		
	- 2x16 and 4x20 LCD Display		
	- Microcontroller and X extension pins		
	- 5 Push buttons and 1 Reset button		
	- Power port (GND, +5V, +3v3) on board		
	20 units SD/MMC Card Shield		
	- Powered via Microcontroller board		
	- SD-Card Sockets 2x SDHC Slots		
	20 units Sensors Shield		
	- Built -in On-board sensor and modules pins		
	- with 28 LED Monitor		
	- Tiny DC Motor Driver		
	20 units UHF-STD Data Transceiver		
	- Frequency Range: 431.1 MHz – 437.3 MHz		
	- Channel Separation: 400kHz		
	- Modulation: FSK		
	- TX RF power: 100mW (20dbm) typica		
	- Frequency Range: 431.1 MHz – 437.3 MHz		
	- Rx sensitivity: -105dbm typical		
	- UART Baud Rate: 9600bps		
	- Operating Voltage: 5V/3.3V jumper selectable		
	- Transmit to Receive latency: 20-30ms		
1 set	F. Soldering Tools and Consumables	₱ 85,000.00	₱ 85,000.00
	Includes:		
	20 units Standard Desoldering Pump (Large Size)		
	20 units Helping Hand Workstation, Work clip fixture with Magnifier, LED Illuminator and Soldering Iron Stand		
	20 units 830 Tie Point Solderless Breadboard		

	20 units PCB Mini Hand drill Set with 24V Power Supply Adapter		
	20 units Extension Cord 4 gang x 5 meters		
	20 units Soldering Tool set with Soldering Iron, Desoldering pump, Wire Stripper, Screwdriver, Drill bits		
	20 rolls Soldering Wire Lead, 0.7mm		
	***** VAT INCLUSIVE*****		
	*****FOB DOST-Caraga*****		
TOTAL ABC FOR LOT 8			₱ 772,500.00
LOT 9	PCB 3D Printer Accessories and Consumables for iMake - ASSCAT	₱ 187,000.00	₱ 187,000.00
1 set	PCB 3D Printer Accessories and Consumables		
	Includes:		
	V-One Drill Attachment		
	Hello World Component Kit		
	Anti-Static Tweezers		
	Burnishing Pads		
	Thumbscrews		
	Nozzles - Disposable		
	Empty Cartridge Pack - Clear		
	Empty Cartridge Pack - UV - Blocking		
	Clamps		
	Nozzles - 225 Micron		
	Nozzles - 150 Micron		
	Nozzles - 100 Micron		
	Dispenser and Sheath		
	Conductor 2 Ink Cartridge		
	Conductor 2 Ink Cartridge (Half)		
	Flex 2 Ink Cartridge		
	Rivet Tool		
	Rivets - 0.4 mm		
	Rivets - 1.0 mm		
	Sacrificial Layer		
	Drill Bit Set		
	2" x 3" Flame Retardant 1 Substrates		
	3" x 4" Flame Retardant 1 Substrates		
	Punk Console Component Kit		
	Flux		
	Solder Wire		
	Solder Paste Cartridges		
	2" x 3" Flame Retardant 4 Substrates		
	3" x 4" Flame Retardant 4 Substrates		
	4" x 5" Flame Retardant 4 Substrates		
	***** VAT INCLUSIVE*****		
	*****FOB DOST-Caraga*****		

TOTAL ABC FOR LOT 9			₱ 187,000.00
LOT 10	Tools and Consumables for iMake - ASSCAT		
1 set	A. Power Tools	₱ 30,000.00	₱ 30,000.00
	Includes:		
	1 unit Corded Angle Grinder		
	Specifications		
	Grinder Type: Angle Grinder		
	Disc Size: 4 inches		
	Speed: 11000rpm		
	Corded/Cordless: Corded		
	Voltage Rating: 220V		
	Wattage: 840W		
	Includes:		
	1x Depressed center wheel		
	1x Grip		
	1x Lock Nut Wrench		
	1x 4 inches Grinding disc for steel		
	1 unit Hand/Impact Drill		
	Specifications		
	Power: 600-800Watts or Higher		
	Voltage: 220V		
	With Free Drill Bits		
	Chuck: 13mm (1/2") with key		
	Hammer action for drilling into brick and masonry		
	With Free Drill Bits		
	1 Unit Cut Off Machine / Chop Saw		
	Power: 2,200W or higher		
	No-load Speed: 3,800 rpm		
	Wheel diameter: 355 mm/14"		
	Max Cutting Capacity at 90 degrees:		
	Square: 119x119 mm		
	Rectangular: 115x130 mm		
	L-Shape: 137x137 mm		
	Rounder: 115 mm		
	With Free Chop Saw Blade		
1 set	B. Hand Tools	₱ 22,500.00	₱ 22,500.00
	2 Sets of Screw Drivers Set		
	Consist of:		
	1x SL5.5*5*75 mm		
	1x SL5.5*5*100 mm		
	1x SL6.5*6*150 mm		
	1x PH1*5*75 mm		
	1x PH1*5*100 mm		
	1x PH2*6*150mm		
	Heavy Duty		
	2 Pcs Claw Hammer		

	Specifications:		
	Head Material: Carbon Steel		
	Overall Length: 330.0 mm		
	Heavy Duty		
	2 Pcs Hacksaw		
	Specifications:		
	Blade Length: 300 mm		
	Number of Teeth per inch: 24		
	Blade Material: Bi-Metal		
	Heavy Duty		
	2 Sets Combination Wrench		
	Consists of:		
	Original / Authentic		
	Sizes: 8mm,9mm,10mm,12mm,13mm,14mm,17mm,19mm,21mm,22mm, 24mm, 27mm, 30mm, 32mm		
	Heavy Duty		
	2 Sets Allen Wrench		
	Original / Authentic		
	Size: 1.5mm, 2mm, 2.5mm, 3mm, 4mm, 5mm, 5.5mm, 6mm		
	Heavy Duty		
	Wrench Type: L-type		
	2 Sets Steel Pliers		
	Consist of:		
	1x Diagonal Cutting Pliers		
	1x Long Nose Pliers		
	1x Combination Pliers		
	Overall length: 250 mm		
1 set	C. Measuring Tools	₱ 14,000.00	₱ 14,000.00
	3 Pcs Steel Tape Measure		
	Specifications:		
	Length & width:5mx25mm		
	Heavy Duty		
	Nylone blade		
	With metric and inch		
	2 pc Vernier Caliper		
	Specifications:		
	Measuring range: 0 - 300mm (0 - 12inch)		
	Display type: Analogue		
	No Battery Needed		
	Material: Stainless Steel		
	Heavy Duty		
	3 pcs L-Square Angle Ruler		
	Specifications:		
	Measuring Length: 10 / 25cm		
	Material: Stainless Steel		
	Ruler Size : 10 x 4.5(L*W) / 25.3cm x 11.4cm(L*W)		
	Heavy Duty		

	3 pcs Steel Ruler		
	Specifications:		
	Length: 24" (609.6mm)		
	Ruler Width : 30mm		
	Thickness : 1.2mm		
	Material: Stainless Steel		
	Heavy Duty		
	2 Sets Metal Drill Bits		
	Includes:		
	Original / Authentic		
	Sizes: 1/16" to 1/4" Diameter		
	Heavy Duty		
	Head Type: Round Head		
	With High Quality Plastic Package		
	2 Sets Concrete Drill Bits		
	Original / Authentic		
	Sizes: 1/8(3mm), 5/32(4mm), 3/16(5mm), 1/4(6mm), 9/32(7mm), 5/16(8mm, 11/32(9mm) & 3/8"(10mm) Diameter		
	Heavy Duty		
	Head Type: Round Head		
	With High Quality Plastic Package		
	5 Pcs Cut-off Machine/Chop Saw Disc		
	14 Inches Chop Saw Disc		
	Disc Diameter: 35cm		
	Inner hole: 100mm		
	Heavy Duty		
	***** VAT INCLUSIVE*****		
	*****FOB DOST-Caraga*****		
	TOTAL ABC FOR LOT 10		₱ 66,500.00
	GRAND TOTAL		₱ 5,000,000.00

Delivery of the Goods is required **within sixty (60) days upon receipt of Notice to Proceed**. Bidders should have completed, within **two (2) years** from the date of submission and receipt of bids, a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II. Instructions to Bidders.

- Bidding will be conducted through open competitive bidding procedures using a non-discretionary "pass/fail" criterion as specified in the 2016 Revised Implementing Rules and Regulations (IRR) of Republic Act (RA) 9184, otherwise known as the "Government Procurement Reform Act". Bidding is open to all interested bidders, whether local or foreign, subject to the conditions for eligibility provided in the IRR of RA 9184.
- Interested bidders may obtain further information from **DEPARTMENT OF SCIENCE AND TECHNOLOGY-CARAGA** and inspect the Bidding Documents at the address given below during **8:00 AM to 5:00 PM**.
- A complete set of Bidding Documents may be acquired by interested Bidders on **November 19 to December 9, 2020** from the address below and upon payment of the applicable fee for the Bidding Documents, pursuant to the latest Guidelines issued by the GPPB, in the amount of:

- Lot No. 1 - ₱ 1,100.00
- Lot No. 2 - ₱ 500.00
- Lot No. 3 - ₱ 1,000.00
- Lot No. 4 - ₱ 1,000.00
- Lot No. 5 - ₱ 500.00
- Lot No. 6 - ₱ 500.00
- Lot No. 7 - ₱ 1,000.00
- Lot No. 8 - ₱ 1,000.00
- Lot No. 9 - ₱ 500.00
- Lot No. 10 - ₱ 500.00
- LOTS 1 to 10 - ₱ 5,000.00

It may also be downloaded free of charge from the website of the Philippine Government Electronic Procurement System (PhilGEPS) and the website of the Procuring Entity, provided that Bidders shall pay the applicable fee for the Bidding Documents not later than the submission of their bids.

Payment of Bidding documents can be done through bank deposit/transfer. Bank charges, if any, will be borne by the bidder. For more information, please coordinate with the BAC Secretariat.

It may also be downloaded free of charge from the website of the Philippine Government Electronic Procurement System (PhilGEPS) and the website of the Procuring Entity, provided that Bidders shall pay the applicable fee for the Bidding Documents not later than the submission of their bids.

6. The **DEPARTMENT OF SCIENCE AND TECHNOLOGY-CARAGA** will hold a Pre-Bid Conference¹ through videoconferencing on **November 27, 2020 @ 1:30 PM** at **DOST Caraga Conference Room, CSU Campus, Ampayon, Butuan City**, which shall be open to prospective bidders.
7. Bids must be duly received by the BAC Secretariat at the address below on or before **1:00 PM of December 9, 2020**. All Bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in **ITB** Clause 18. Bidder shall submit all bid proposals through email **bacsec.dost13@gmail.com**.

The Opening of Bids shall be done virtually via video conferencing. The presentation of bids will be shown in the presence of the Bidders representatives who wish to witness the proceedings virtually. Late bids shall not be accepted. Meeting ID and Password will be given within one (1) day before the scheduled Bid Opening.

The bidder shall prepare One (1) e-COPY of its **TECHNICAL AND FINANCIAL PROPOSAL** in PDF or JPEG format. These files shall be placed on a **PASSWORD PROTECTED FILE** named **TECHNICAL**. Financial folder contains Duly Signed Bid Form. This file shall be placed on a password protected folder named **FINANCIAL**.

The bidder shall create an archived (zip or rar) file with filename following the format “Solicitation Number - Name of Supplier” (e.g. B-038-2020 – Juan Dela Cruz Marketing) containing two (2) password protected folders labelled as **TECHNICAL** and **FINANCIAL**.


¹May be deleted in case the ABC is less than One Million Pesos (PhP1,000,000.00) where the Procuring Entity may not hold a Pre-Bid Conference.

For modification and withdrawal of electronic bid submission, provision of GPPB Resolution no. 09-2020 item 5.4 shall be observed.

Hard copies of the bidding documents (ORIGINAL, COPY 1 and COPY2) shall be sent to the BAC Secretariat one (1) day after the submission of the electronic copies. Please email proof of mailing to the BAC Secretariat.

8. The **DEPARTMENT OF SCIENCE AND TECHNOLOGY-CARAGA** reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Section 41 of RA 9184 and its IRR, without thereby incurring any liability to the affected bidder or bidders.
9. For further information, please refer to:

BAC Secretariat
DOST CARAGA, CSU CAMPUS, AMPAYON BUTUAN CITY, 8600
Tel.: 085 342-5345, Fax: 085 342-5684
Email: bacsec.dost13@gmail.com


NOEL M. AJOC
Chairperson, BAC